AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT I	1. CONTRACT ID CODE		
AMENDMENT OF SOLICITA	TION/MODIF	ICATION OF CONTRACT		J		1 2	
2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE DATE	4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO.(If applicable)			
0001	01-Oct-2010	W23MWK0165N146					
6. ISSUED BY CODE	W81XWH	7. ADMINISTERED BY (If other than item 6)		COD	E		
USA MED RESEARCH ACQ ACTIVITY 820 CHANDLER ST FORT DETRICK MD 21702-5014		See Item 6					
_			X 9A. AMENDMENT OF SOLICITATION NO. W81XWH-10-R-0142				
			Х	16-Sep-2010			
				10A. MOD. OF CONTRACT/ORDER NO.			
CODE FACILITY CODE				10B. DATED (SEE ITEM 13)			
11.	THIS ITEM ONLY A	PPLIES TO AMENDMENTS OF SOLI	П	ATIONS			
X The above numbered solicitation is amended as set forth	in Item 14. The hour and	date specified for receipt of Offer	Х	is extended,	is not e	extended.	
Offer must acknowledge receipt of this amendment prio (a) By completing Items 8 and 15, and returning or (c) By separate letter or telegram which includes a re RECEIVED AT THE PLACE DESIGNATED FOR TH REJECTION OF YOUR OFFER. If by virtue of this am provided each telegramor letter makes reference to the s	copies of the amendmen ference to the solicitation a E RECEIPT OF OFFERS I endment you desire to chan olicitation and this amend	at; (b) By acknowledging receipt of this amendme and amendment numbers. FAILURE OF YOUR A PRIOR TO THE HOUR AND DATE SPECIFIEI nge an offer already submitted, such change may b	ent of ACK D MA	n each copy of the offic NOWLEDGMENT I AY RESULT IN ade by telegramor lett	O BE	d;	
12. ACCOUNTING AND APPROPRIATION DA	TA (If required)						
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACT S/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.							
A. THIS CHANGE ORDER IS ISSUED PURSU CONTRACT ORDER NO. IN ITEM 10A.	ANT TO: (Specify a	uthority) THE CHANGES SET FORTH	IN	ITEM 14 ARE M	IADE IN	THE	
B. THE ABOVE NUMBERED CONTRACT/O office, appropriation date, etc.) SET FORT					s change	es in paying	
C. THIS SUPPLEMENT AL AGREEMENT IS	ENTERED INTO PU	JRSUANT TO AUTHORITY OF:					
D. OTHER (Specify type of modification and a	nuthority)						
E. IMPORTANT: Contractor is not,	is required to sig	n this document and return	co	pies to the issuing	office.		
14. DESCRIPTION OF AMENDMENT/MODIFF where feasible.)							
The purpose of this amendment is to provide reamendment.	esponses to the ques	stions received. No more questions wil	be	addressed upor	release	of this	
Except as provided herein, all terms and conditions of the do	cument referenced in Items	9A or 10A, as heretofore changed, remains unchan	ngec	and in full force and	effect.		
15A. NAME AND TITLE OF SIGNER (Type or	16A. NAME AND TITLE OF CO	NT	RACT ING OFFIC	CER (Ty	pe or print)		
		TEL:		EMAIL:			
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNEI	D 16B. UNITED STATES OF AME	ХIC	Α		16C. DATE SIGNED	
		BY				01-Oct-2010	
(Signature of person authorized to sign)		(Signature of Contracting Of	fice	er)			

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

The following have been added by full text:

RFP QUESTIONS AND ANSWERS

No more questions will be addressed after this amendment.

Question 1. Can you provide additional details on specific technical platforms? Is there any specific requirement for the platform?

Answer: There is no specific platform in mind but it must meet the criteria identified in the solicitation.

Question 2. With regards to the type of bacteria as probes, is there a limit or a specific one required or is of interest to the gov't at this stage (the RFP only calls for bacterial strains that are novel)?

Answer: Selection of the bacteria is left to the proposer, but the bacteria proposed must allow the sensor to meet the criteria in the solicitation.

Question 3. The bacterial strains should be engineered/genetically modified by the offerror and/or collaborators. Is this the understanding on this correctly?

Answer: Yes the understanding is correct. Where possible, engineered bacterial strains should reside with the proposer/collaborators as required for the sensor.

SECTION SF 1449 - CONTINUATION SHEET

SOLICITATION/CONTRACT FORM

The required response date/time has changed from 07-Oct-2010 02:00 PM to 14-Oct-2010 02:00 PM.

(End of Summary of Changes)